

Message

---

**From:** Danforth, Deborah (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=DEBORAH.DANFORTH]  
**Sent:** 12/23/2011 4:59:28 PM  
**To:** Calvagna, Patricia (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Patricia.Calvagna]; Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=James.Hanchett]  
**CC:** Majewski, Christine (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Christine.Majewski]; Nosov, Svetlana (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Svetlana.Nosov]  
**Subject:** RE: Payment

Jim,

The changes can take place before the amendment to the ISA is done. I will do that on Tuesday of next week.

---

**From:** Calvagna, Patricia (DPH)  
**Sent:** Friday, December 23, 2011 11:55 AM  
**To:** Hanchett, James (DPH)  
**Cc:** Majewski, Christine (DPH); Danforth, Deborah (DPH); Nosov, Svetlana (DPH)  
**Subject:** RE: Payment

Hi Jim – I have spoken with Debbie Danforth in purchasing here at the DPH/State Lab. There is already a mechanism in place to pay for these bills. Debbie is going to encumber additional funds from Food and Drug accounts next week to cover the cost for each phone and monthly charges.

Merry Christmas!

Patti Calvagna-Lusk  
Admin and Finance Manager  
Drug Control Program  
Food Protection Program  
305 South Street  
Jamaica Plain, MA 02130  
617-983-6713  
patricia.calvagna@state.ma.us

---

**From:** Hanchett, James (DPH)  
**Sent:** Wednesday, December 21, 2011 8:39 AM  
**To:** Calvagna, Patricia (DPH)  
**Subject:** Payment

Hi Patti,

I am trying to find out about paying for new phone installation. Cost is \$82.50 each for phone and \$17.00 per month per line, with a monthly increase of \$34.00. You will need approval from purchasing for additional monthly phone cost.

Jim Hanchett  
Amherst Drug Lab

Room N251 Morrill I  
637 North Pleasant Street  
Amherst, MA 01003  
Phone 413-545-2607  
Fax 413-545-2608  
Cell [REDACTED]